ELSEVIER

Mechanisms of Development 52 (1995) 393–394

Author index

Volume 52 (1995)

Adler, P.N., see Turner, C.M., **52**, 247
Argao, E.A., M.J. Kern, W.W. Branford, W.J. Scott, Jr., S.S. Potter, Malformations of the heart, kidney, palate, and skeleton in α-MHC-*Hoxb-7* transgenic mice **52**, 291
Arnold, H.-H., see Rinkwitz-Brandt, S. **52**, 371

Bailey, D., see Stassen, M.J., **52**, 209
Blake, K.J., B. Rogina, A. Centurion, S.L. Helfand, Changes in gene expression during post-eclosional development in the olfactory system of *Drosophila melanogaster* **52**, 179
Bober, E., see Rinkwitz-Brandt, S. **52**, 371
Branford, W.W., see Argao, E.A. **52**, 291
Breen, T.R., V. Chinwalla, P.J. Harte, *Trithorax* is required to maintain *engrailed* expression in a subset of *engrailed*-expressing cells **52**, 89
Breitman, M., see Ellis, J. **52**, 319
Brouwer, A., see Leussink, B., **52**, 51
Brown, A.M.C., see Ferrari, D. **52**, 257

Candia, A.F., C.V.E. Wright, The expression pattern of *Xenopus Mox-2* implies a role in initial mesodermal differentiation **52**, 27
Centurion, A., see Blake, K.J., **52**, 179
Cheng, A.K., E.J. Robertson, The murine LIM-kinase gene (*limk*) encodes a novel serine threonine kinase expressed predominantly in trophoblast giant cells and the developing nervous system **52**, 187
Chinwalla, V., see Breen, T.R., **52**, 89
Chinwalla, V., see Stassen, M.J., **52**, 209
Clement, J.H., P. Fettes, S. Knöchel, J. Lef, W. Knöchel, Bone morphogenetic protein 2 in the early development of *Xenopus laevis* **52**, 357
Conway, G., A novel gene expressed during zebrafish gastrulation identified by differential RNA display **52**, 383
Copeland, N.G., see Ellis, J. **52**, 319

Dewulf, N., see Verschueren, K., **52**, 109
Dura, J.-M., see Fauvarque, M.-O. **52**, 343

El Khattabi, M., see Leussink, B., **52**, 51
Ellis, J., Q. Liu, M. Breitman, N.A. Jenkins, D.J. Gilbert, N.G. Copeland, H.V. Tempest, S. Warren, E. Muir, H. Schilling, F.A. Fletcher, S.F. Ziegler, J.H. Rogers, Embryo brain kinase: a novel gene of the *eph/elk* receptor tyrosine kinase family **52**, 319
Ernsberger, U., H. Patzke, J.P. Tissier-Seta, T. Reh, C. Goridis, H. Rohrer, The expression of tyrosine hydroxylase and the transcription factors cPhox-2 and Cash-1: evidence for distinct inductive steps in the differentiation of chick sympathetic precursor cells **52**, 125
Etkin, L.D., see Gong, S.-G. **52**, 305

Fauvarque, M.-O., V. Zuber, J.-M. Dura, Regulation of *polyhomeotic* transcription may involve local changes in chromatin activity in *Drosophila* **52**, 343
Feijen, A., see Verschueren, K., **52**, 109
Ferrari, D., L. Sumoy, J. Gannon, H. Sun, A.M.C. Brown, W.B. Upholt, R.A. Kosher, The expression pattern of the *Distal-less* homeobox-containing gene *Dlx-5* in the developing chick limb bud suggests its involvement in apical ectodermal ridge activity, pattern formation, and cartilage differentiation **52**, 257
Fettes, P., see Clement, J.H. **52**, 357
Fjose, A., U. Weber, M. Mlodzik, A novel vertebrate *svp*-related nuclear receptor is expressed as a step gradient in developing rhombomeres and is affected by retinoic acid **52**, 233
Fletcher, F.A., see Ellis, J. **52**, 319
Fridmacher, V., M. Le Bert, F. Guillou, S. Magre, Switch in the expression of the K19/K18 keratin genes as a very early evidence of testicular differentiation in the rat **52**, 199

Gannon, J., see Ferrari, D. **52**, 257
Gatherer, D., see Richardson, J.C., **52**, 165
Gilbert, D.J., see Ellis, J. **52**, 319
Gittenberger-de Groot, A.C., see Leussink, B., **52**, 51
Gong, S.-G., B.A. Reddy, L.D. Etkin, Two forms of *Xenopus* nuclear factor 7 have overlapping spatial but different temporal patterns of expression during development **52**, 305
Goridis, C., see Ernsberger, U., **52**, 125
Goumans, M.-J., see Verschueren, K., **52**, 109
Grimsby, S., see Verschueren, K., **52**, 109
Guillou, F., see Fridmacher, V., **52**, 199

Harte, P.J., see Breen, T.R., **52**, 89
Harte, P.J., see Sathe, S.S., **52**, 77
Harte, P.J., see Sathe, S.S., **52**, 225
Harte, P.J., see Stassen, M.J., **52**, 209
Heino, T.I., see Tirronen, M., **52**, 65
Heldin, C.-H., see Verschueren, K., **52**, 109
Helfand, S.L., see Blake, K.J., **52**, 179
Hollyday, M., J.A. McMahon, A.P. McMahon, *Wnt* expression patterns in chick embryo nervous system **52**, 9
Holmgren, R., see Motzny, C.K., **52**, 137
Huylebroeck, D., see Verschueren, K., **52**, 109

Jenkins, N.A., see Ellis, J. **52**, 319
Justus, M., see Rinkwitz-Brandt, S. **52**, 371

Kelly, G.M., see Holmgren, R., **52**, 153
Kern, M.J., see Argao, E.A. **52**, 291
Knöchel, S., see Clement, J.H. **52**, 357
Knöchel, W., see Clement, J.H. **52**, 357
Kosher, R.A., see Ferrari, D. **52**, 257

Lahti, V.-P., see Tirronen, M., **52**, 65
Le Bert, M., see Fridmacher, V., **52**, 199
Lef, J., see Clement, J.H. **52**, 357

0925-4773/95/$09.50 © 1995 Elsevier Science Ireland Ltd. All rights reserved

Leussink, B., A. Brouwer, M. El Khattabi, R.E. Poelmann, A.C. Gittenberger-de Groot, F. Meijlink, Expression patterns of the paired-related homeobox genes *MHox/Prx1* and *S8/Prx2* suggest roles in development of the heart and the forebrain **52**, 51
Liu, Q., see Ellis, J. **52**, 319
Lonnoy, O., see Verschueren, K., **52**, 109

Magre, S., see Fridmacher, V., **52**, 199
McMahon, A.P., see Hollyday, M., **52**, 9
McMahon, A.P., see Rowitch, D.H. **52**, 3
McMahon, J.A., see Hollyday, M., **52**, 9
Meijlink, F., see Leussink, B., **52**, 51
Miyazono, K., see Verschueren, K., **52**, 109
Mlodzik, M., see Fjose, A. **52**, 233
Moon, R.T., see Holmgren, R., **52**, 153
Morén, A., see Verschueren, K., **52**, 109
Motzny, C.K., R. Holmgren, The *Drosophila* cubitus interruptus protein and its role in the *wingless* and *hedgehog* signal transduction pathways **52**, 137
Muir, E., see Ellis, J. **52**, 319
Mummery, C., see Verschueren, K., **52**, 109
Murre, C., see van Dijk, M.A., **52**, 99
Muster, L., see Nichols, A., **52**, 37

Nelson, S., see Stassen, M.J., **52**, 209
Nichols, A., E. Rungger-Brändle, L. Muster, D. Rungger, Inhibition of *Xhox1A* gene expression in *Xenopus* embryos by antisense RNA produced from an expression vector read by RNA polymerase III **52**, 37

Oldenettel, I., see Rinkwitz-Brandt, S. **52**, 371

Patzke, H., see Ernsberger, U., **52**, 125
Peltenburg, L.T.C., see van Dijk, M.A., **52**, 99
Poelmann, R.E., see Leussink, B., **52**, 51
Potter, S.S., see Argao, E.A. **52**, 291

Reddy, B.A., see Gong, S.-G. **52**, 305
Reh, T., see Ernsberger, U., **52**, 125
Reichman-Fried, M., B.-Z. Shilo, Breathless, a *Drosophila* FGF receptor homolog, is required for the onset of tracheal cell migration and tracheole formation **52**, 265
Richardson, J.C., D. Gatherer, H.R. Woodland, Developmental effects of over-expression of normal and mutated forms of a *Xenopus* NF-κB homologue **52**, 165
Rinkwitz-Brandt, S., M. Justus, I. Oldenettel, H.-H. Arnold, E. Bober, Distinct temporal expression of mouse *Nkx-5.1* and *Nkx-5.2* homeobox genes during brain and ear development **52**, 371
Robertson, E.J. see Cheng, A.K., **52**, 187
Rogers, J.H., see Ellis, J. **52**, 319
Rogina, B., see Blake, K.J., **52**, 179
Rohrer, H., see Ernsberger, U., **52**, 125
Roos, C., see Tirronen, M., **52**, 65
Rowitch, D.H., A.P. McMahon, *Pax-2* expression in the murine neural plate precedes and encompasses the expression domains of *Wnt-1* and *En-1* **52**, 3
Rungger, D., see Nichols, A., **52**, 37
Rungger-Brändle, E., see Nichols, A., **52**, 37

Sassoon, D., see Wang, Y.-Q. **52**, 275
Sathe, S.S., P.J. Harte, The *Drosophila extra sex combs* protein contains WD motifs essential for its function as a repressor of homeotic genes **52**, 77
Sathe, S.S., P.J. Harte, The *extra sex combs* protein is highly conserved between *Drosophila virilis* and *Drosophila melanogaster* **52**, 225
Schilling, H., see Ellis, J. **52**, 319
Scott, Jr., W.J., see Argao, E.A. **52**, 291
Shilo, B.-Z., see Reichman-Fried, M. **52**, 265
Sizeland, A., see Wang, Y.-Q. **52**, 275
Stassen, M.J., D. Bailey, S. Nelson, V. Chinwalla, P.J. Harte, The *Drosophila trithorax* proteins contain a novel variant of the nuclear receptor type DNA binding domain and an ancient conserved motif found in other chromosomal proteins **52**, 209
Sumoy, L., see Ferrari, D. **52**, 257
Sun, H., see Ferrari, D. **52**, 257

Tempest, H.V., see Ellis, J. **52**, 319
ten Dijke, P., see Verschueren, K., **52**, 109
Tirronen, M., V.-P. Lahti, T.I. Heino, C. Roos, Two *otu* transcripts are selectively localised in *Drosophila* oogenesis by a mechanism that requires a function of the otu protein **52**, 65
Tissier-Seta, J.P., see Ernsberger, U., **52**, 125
Turner, C.M., P.N. Adler, Morphogenesis of *Drosophila* pupal wings in vitro **52**, 247

Ungar, A.R., G.M. Kelly, R.T. Moon, *Wnt4* affects morphogenesis when misexpressed in the zebrafish embryo **52**, 153
Upholt, W.B., see Ferrari, D. **52**, 257

Van Den Eijnden-Van Raaij, J., see Verschueren, K., **52**, 109
van Dijk, M.A., L.T.C. Peltenburg, C. Murre, Hox gene products modulate the DNA binding activity of Pbx1 and Pbx2 **52**, 99
Vande Spiegle, K., see Verschueren, K., **52**, 109
Vanscheeuwijck, P., see Verschueren, K., **52**, 109
Verschueren, K., N. Dewulf, M.-J. Goumans, O. Lonnoy, A. Feijen, S. Grimsby, K. Vande Spiegle, P. ten Dijke, A. Morén, P. Vanscheeuwijck, C.-H. Heldin, K. Miyazono, C. Mummery, J. Van Den Eijnden-Van Raaij, D. Huylebroeck, Expression of type I and type IB receptors for activin in midgestation mouse embryos suggests distinct functions in organogenesis **52**, 109

Wang, X.-F., see Wang, Y.-Q. **52**, 275
Wang, Y.-Q., A. Sizeland, X.-F. Wang, D. Sassoon, Restricted expression of type-II TGFβ receptor in murine embryonic development suggests a central role in tissue modeling and CNS patterning **52**, 275
Warren, S., see Ellis, J. **52**, 319
Weber, U., see Fjose, A. **52**, 233
Woodland, H.R. see Richardson, J.C., **52**, 165
Wright, C.V.E., see Candia, A.F., **52**, 27

Ziegler, S.F., see Ellis, J. **52**, 319
Zuber, V., see Fauvarque, M.-O. **52**, 343

ELSEVIER

Mechanisms of Development 52 (1995) 395–398

Subject index

Volume 52 (1995)

Activin type I receptors; Mouse embryogenesis; In situ hybridization **52**, 109

Ancient conserved motif; *Trithorax;* Nuclear receptor DNA binding motif; Homeotic genes; Maintenance of expression **52**, 209

Antisense inhibition; *Xhox1A* gene; *Hox-2.6 (4B)*; Muscle differentiation; VAI expression vector **52**, 37

Apical ectodermal ridge (AER); *Distal-less (Dlx)*; *Dlx-5*; *Msx-2*; Homeobox-containing genes; Limb development; Pattern formation; Cartilage differentiation **52**, 257

ARP-1; COUP; Eye development; Hindbrain segmentation; Nuclear receptor; Rostral brain; Retinoic acid **52**, 233

Axis formation; *Xenopus*; NF-κB; Dorsal **52**, 165

Bone morphogenetic protein 2; Mesoderm induction; *Xenopus laevis* **52**, 357

Branchial arches; Receptor tyrosine kinases; Hippocampus; Neural development; Morphogenesis; Subcommissural organ; Rhombomeres; Lung; Heart **52**, 319

Cartilage differentiation; *Distal-less (Dlx)*; *Dlx-5*; *Msx-2*; Homeobox-containing genes; Limb development; Apical ectodermal ridge (AER); Pattern formation **52**, 257

Cash-1; Sympathetic neuron; Tyrosine hydroxylase; Phox-2; Development; Chick **52**, 125

Cell cycle; *Ovarian tumour;* Oogenesis; mRNA processing; Microtubule; Polytenisation; MAP2 **52**, 65

Cell migration; Receptor tyrosine kinase; FGF receptor; *Drosophila*; Trachea **52**, 265

Central nervous system development; Engrailed; Gene regulation; Pattern formation; Pax; Wnt **52**, 3

Chick embryo; Nervous system development; *Wnt* **52**, 9

Chick; Sympathetic neuron; Tyrosine hydroxylase; Phox-2; Cash-1; Development **52**, 125

Chitinase; *Drosophila*; Pupal wing; In vitro; Morphogenesis **52**, 247

CNS development; Serine/threonine protein kinase; LIM domain; Trophoblast giant cells **52**, 187

Connective tissue; Homeobox genes; Limb development; Heart valves; Diencephalon; Telencephalon **52**, 51

Cooperative DNA binding; Pbx proteins; Hox gene products; E2A/Pbx1; Engrailed **52**, 99

COUP; ARP-1; Eye development; Hindbrain segmentation; Nuclear receptor; Rostral brain; Retinoic acid **52**, 233

Cubitus interruptus; Segment polarity; Signal transduction **52**, 137

Cyclopia; Wnt4; Wnt5A; Morphogenesis; Zebrafish **52**, 153

Development; Sympathetic neuron; Tyrosine hydroxylase; Phox-2; Cash-1; Chick **52**, 125

Development; *Xenopus laevis;* Embryogenesis; Promoter-analysis; Transgenic *Xenopus;* Maternal factors **52**, 305

Diencephalon; Homeobox genes; Limb development; Heart valves; Connective tissue; Telencephalon **52**, 51

Differential RNA display; Zebrafish; Gastrulation; G12 Expression **52**, 383

Differentiation; Mesoderm; *Xenopus;* Mox; Induction **52**, 27

Distal-less (Dlx); *Dlx-5*; *Msx-2*; Homeobox-containing genes; Limb development; Apical ectodermal ridge (AER); Pattern formation; Cartilage differentiation **52**, 257

Dlx-5; *Distal-less (Dlx)*; *Msx-2*; Homeobox-containing genes; Limb development; Apical ectodermal ridge (AER); Pattern formation; Cartilage differentiation **52**, 257

Dorsal; *Xenopus*; NF-κB; Axis formation **52**, 165

DREV; Homeosis; *Polycomb; trithorax;* Gap genes; Transvection **52**, 343

***Drosophila* development**; Maintenance of expression; *Engrailed; Trithorax* **52**, 89

Drosophila virilis; Extra *sex combs*; Homeotic genes; WD motif; Repressor; *Polycomb* group **52**, 225

Drosophila; Maturation; Gene expression **52**, 179

Drosophila; Pupal wing; Chitinase; In vitro; Morphogenesis **52**, 247

0925-4773/95/$09.50 © 1995 Elsevier Science Ireland Ltd. All rights reserved

Drosophila; Receptor tyrosine kinase; FGF receptor; Cell migration; Trachea **52**, 265

E2A/Pbx1; Pbx proteins; Hox gene products; Cooperative DNA binding; Engrailed **52**, 99

Ectopic expression; α-Myosin heavy chain; Homeobox gene; Kidney defect; Transgenic mouse; Ventricular septal defect **52**, 291

Embryogenesis; *Xenopus laevis;* Development; Promoter-analysis; Transgenic *Xenopus;* Maternal factors **52**, 305

Engrailed; Central nervous system development; Gene regulation; Pattern formation; Pax; Wnt **52**, 3

Engrailed; Maintenance of expression; *Drosophila* development; *Trithorax* **52**, 89

Engrailed; Pbx proteins; Hox gene products; Cooperative DNA binding; E2A/Pbx1 **52**, 99

Epithelial-mesenchymal interactions; Transforming growth factor β; Transforming growth factor β type II receptor; Floor plate; Mouse embryogenesis; In situ hybridization. **52**, 275

Esc; Repressor; WD motif; Homeotic **52**, 77

Extra sex combs; Homeotic genes; WD motif; Repressor; *Polycomb* group; *Drosophila virilis* **52**, 225

Eye development; ARP-1; COUP; Hindbrain segmentation; Nuclear receptor; Rostral brain; Retinoic acid **52**, 233

FGF receptor; Receptor tyrosine kinase; *Drosophila*; Cell migration; Trachea **52**, 265

Floor plate; Transforming growth factor β; Transforming growth factor β type II receptor; Epithelial-mesenchymal interactions; Mouse embryogenesis; In situ hybridization. **52**, 275

G12 Expression; Zebrafish; Gastrulation; Differential RNA display **52**, 383

Gap genes; Homeosis; *Polycomb; trithorax;* Transvection; DREV **52**, 343

Gastrulation; Zebrafish; G12 Expression; Differential RNA display **52**, 383

Gene expression; *Drosophila;* Maturation **52**, 179

Gene regulation;; Central nervous system development; Engrailed; Pattern formation; Pax; Wnt **52**, 3

Gonadal differentiation; Keratins; In situ hybridization; Reverse transcriptase polymerase chain reaction; Rat K18 and K19 partial cDNA sequences **52**, 199

Heart valves; Homeobox genes; Limb development; Connective tissue; Diencephalon; Telencephalon **52**, 51

Heart; Receptor tyrosine kinases; Hippocampus; Neural development; Morphogenesis; Subcommissural organ; Rhombomeres; Lung; Branchial arches **52**, 319

Hindbrain segmentation; ARP-1; COUP; Eye development; Nuclear receptor; Rostral brain; Retinoic acid **52**, 233

Hippocampus; Receptor tyrosine kinases; Neural development; Morphogenesis; Subcommissural organ; Rhombomeres; Lung; Heart; Branchial arches **52**, 319

Homeobox gene; α-Myosin heavy chain; Ectopic expression; Kidney defect; Transgenic mouse; Ventricular septal defect **52**, 291

Homeobox genes; Limb development; Heart valves; Connective tissue; Diencephalon; Telencephalon **52**, 51

Homeobox-containing genes; *Distal-less (Dlx)*; *Dlx-5*; *Msx-2*; Limb development; Apical ectodermal ridge (AER); Pattern formation; Cartilage differentiation **52**, 257

Homeobox; *Nkx*-genes; Neural development; Inner ear **52**, 371

Homeosis; *Polycomb; trithorax;* Gap genes; Transvection; DREV **52**, 343

Homeotic genes; *Extra sex combs*; WD motif; Repressor; *Polycomb* group; *Drosophila virilis* **52**, 225

Homeotic genes; *Trithorax;* Nuclear receptor DNA binding motif; Maintenance of expression; Ancient conserved motif **52**, 209

Homeotic; *Esc;* Repressor; WD motif **52**, 77

Hox gene products; Pbx proteins; Cooperative DNA binding; E2A/Pbx1; Engrailed **52**, 99

Hox-2.6 (4B); Antisense inhibition; *Xhox1A* gene; Muscle differentiation; VAI expression vector **52**, 37

In situ hybridization; Activin type I receptors; Mouse embryogenesis **52**, 109

In situ hybridization; Gonadal differentiation; Keratins; Reverse transcriptase polymerase chain reaction; Rat K18 and K19 partial cDNA sequences **52**, 199

In situ hybridization; Transforming growth factor β; Transforming growth factor β type II receptor; Epithelial-mesenchymal interactions; Floor plate; Mouse embryogenesis **52**, 275

In vitro; *Drosophila*; Pupal wing; Chitinase; Morphogenesis **52**, 247

Induction; Mesoderm; Differentiation; *Xenopus;* Mox **52**, 27

Inner ear; Homeobox; *Nkx*-genes; Neural development **52**, 371

Keratins; Gonadal differentiation; In situ hybridization; Reverse transcriptase polymerase chain reaction; Rat K18 and K19 partial cDNA sequences **52**, 199

Kidney defect; α-Myosin heavy chain; Ectopic expression; Homeobox gene; Transgenic mouse; Ventricular septal defect **52**, 291

LIM domain; Serine/threonine protein kinase; Trophoblast giant cells; CNS development **52**, 187

Limb development; *Distal-less (Dlx)*; *Dlx-5*; *Msx-2*; Homeobox-containing genes; Apical ectodermal ridge (AER); Pattern formation; Cartilage differentiation **52**, 257

Limb development; Homeobox genes; Heart valves; Connective tissue; Diencephalon; Telencephalon **52**, 51

Lung; Receptor tyrosine kinases; Hippocampus; Neural development; Morphogenesis; Subcommissural organ; Rhombomeres; Heart; Branchial arches **52**, 319

Maintenance of expression; *Drosophila* development; *Engrailed; Trithorax* **52**, 89

Maintenance of expression; *Trithorax;* Nuclear receptor DNA binding motif; Homeotic genes; Ancient conserved motif **52**, 209

MAP2; *Ovarian tumour;* Oogenesis; mRNA processing; Microtubule; Polytenisation; Cell cycle **52**, 65

Maternal factors; *Xenopus laevis;* Development; Embryogenesis; Promoter-analysis; Transgenic *Xenopus* **52**, 305

Maturation; *Drosophila;* Gene expression **52**, 179

Mesoderm induction; Bone morphogenetic protein 2; *Xenopus laevis* **52**, 357

Mesoderm; Differentiation; *Xenopus;* Mox; Induction **52**, 27

Microtubule; *Ovarian tumour;* Oogenesis; mRNA processing; Polytenisation; Cell cycle; MAP2 **52**, 65

Morphogenesis; *Drosophila*; Pupal wing; Chitinase; In vitro **52**, 247

Morphogenesis; Receptor tyrosine kinases; Hippocampus; Neural development; Subcommissural organ; Rhombomeres; Lung; Heart; Branchial arches **52**, 319

Morphogenesis; Wnt4; Wnt5A; Cyclopia; Zebrafish **52**, 153

Mouse embryogenesis; Activin type I receptors; In situ hybridization **52**, 109

Mouse embryogenesis; Transforming growth factor β; Transforming growth factor β type II receptor; Epithelial-mesenchymal interactions; Floor plate; In situ hybridization. **52**, 275

Mox; Mesoderm; Differentiation; *Xenopus;* Induction **52**, 27

mRNA processing; *Ovarian tumour;* Oogenesis; Microtubule; Polytenisation; Cell cycle; MAP2 **52**, 65

Msx-2; *Distal-less (Dlx)*; *Dlx-5*; Homeobox-containing genes; Limb development; Apical ectodermal ridge (AER); Pattern formation; Cartilage differentiation **52**, 257

α-Myosin heavy chain; Ectopic expression; Homeobox gene; Kidney defect; Transgenic mouse; Ventricular septal defect **52**, 291

Muscle differentiation; Antisense inhibition; *Xhox1A* gene; *Hox-2.6 (4B)*; VAI expression vector **52**, 37

Nervous system development; Chick embryo; *Wnt* **52**, 9

Neural development; Homeobox; *Nkx*-genes; Inner ear **52**, 371

Neural development; Receptor tyrosine kinases; Hippocampus; Morphogenesis; Subcommissural organ; Rhombomeres; Lung; Heart; Branchial arches **52**, 319

NF-κB; *Xenopus*; Dorsal; Axis formation **52**, 165

***Nkx*-genes**; Homeobox; Neural development; Inner ear **52**, 371

Nuclear receptor DNA binding motif; *Trithorax;* Homeotic genes; Maintenance of expression; Ancient conserved motif **52**, 209

Nuclear receptor; ARP-l; COUP; Eye development; Hindbrain segmentation; Rostral brain; Retinoic acid **52**, 233

Oogenesis; *Ovarian tumour;* mRNA processing; Microtubule; Polytenisation; Cell cycle; MAP2 **52**, 65

Ovarian tumour; Oogenesis; mRNA processing; Microtubule; Polytenisation; Cell cycle; MAP2 **52**, 65

Pattern formation; Central nervous system development; Engrailed; Gene regulation; Pax; Wnt **52**, 3

Pattern formation; *Distal-less (Dlx)*; *Dlx-5*; *Msx-2*; Homeobox-containing genes; Limb development; Apical ectodermal ridge (AER); Cartilage differentiation **52**, 257

Pax; Central nervous system development; Engrailed, Gene regulation; Pattern formation; Wnt **52**, 3

Pbx proteins; Hox gene products; Cooperative DNA binding; E2A/Pbx1; Engrailed **52**, 99

Phox-2; Sympathetic neuron; Tyrosine hydroxylase; Cash-1; Development; Chick **52**, 125

***Polycomb* group**; *Extra sex combs*; Homeotic genes; WD motif; Repressor; *Drosophila virilis* **52**, 225

Polycomb; Homeosis; *trithorax;* Gap genes; Transvection; DREV **52**, 343

Polytenisation; *Ovarian tumour;* Oogenesis; mRNA processing; Microtubule; Cell cycle; MAP2 **52**, 65

Promoter-analysis; *Xenopus laevis;* Development; Embryogenesis; Transgenic *Xenopus;* Maternal factors **52**, 305

Pupal wing; *Drosophila*; Chitinase; In vitro; Morphogenesis **52**, 247

Rat K18 and K19 partial cDNA sequences; Gonadal differentiation; Keratins; In situ hybridization; Reverse transcriptase polymerase chain reaction **52**, 199

Receptor tyrosine kinase; FGF receptor; *Drosophila*; Cell migration; Trachea **52**, 265

Receptor tyrosine kinases; Hippocampus; Neural development; Morphogenesis; Subcommissural organ; Rhombomeres; Lung; Heart; Branchial arches **52**, 319

Repressor; *Esc;* WD motif; Homeotic **52**, 77

Repressor; *Extra sex combs*; Homeotic genes; WD motif; *Polycomb* group; *Drosophila virilis* **52**, 225

Retinoic acid; ARP-l; COUP; Eye development; Hindbrain segmentation; Nuclear receptor; Rostral brain **52**, 233

Reverse transcriptase polymerase chain reaction; Gonadal differentiation; Keratins; In situ hybridization; Rat K18 and K19 partial cDNA sequences **52**, 199

Rhombomeres; Receptor tyrosine kinases; Hippocampus; Neural development; Morphogenesis; Subcommissural organ; Lung; Heart; Branchial arches **52**, 319

Rostral brain; ARP-I; COUP; Eye development; Hindbrain segmentation; Nuclear receptor; Retinoic acid **52**, 233

Segment polarity; Cubitus interruptus; Signal transduction **52**, 137

Serine/threonine protein kinase; LIM domain; Trophoblast giant cells; CNS development **52**, 187

Signal transduction; Cubitus interruptus; Segment polarity **52**, 137

Subcommissural organ; Receptor tyrosine kinases; Hippocampus; Neural development; Morphogenesis; Rhombomeres; Lung; Heart; Branchial arches **52**, 319

Sympathetic neuron; Tyrosine hydroxylase; Phox-2; Cash-1; Development; Chick **52**, 125

Telencephalon; Homeobox genes; Limb development; Heart valves; Connective tissue; Diencephalon **52**, 51

Trachea; Receptor tyrosine kinase; FGF receptor; *Drosophila*; Cell migration **52**, 265

Transforming growth factor β type II receptor; Transforming growth factor β; Epithelial-mesenchymal interactions; Floor plate; Mouse embryogenesis; In situ hybridization. **52**, 275

Transforming growth factor β; Transforming growth factor β type II receptor; Epithelial-mesenchymal interactions; Floor plate; Mouse embryogenesis; In situ hybridization. **52**, 275

Transgenic mouse; α-Myosin heavy chain; Ectopic expression; Homeobox gene; Kidney defect; Ventricular septal defect **52**, 291

Transgenic *Xenopus*; *Xenopus laevis*; Development; Embryogenesis; Promoter-analysis; Maternal factors **52**, 305

Transvection; Homeosis; *Polycomb*; *trithorax*; Gap genes; DREV **52**, 343

trithorax; Homeosis; *Polycomb*; Gap genes; Transvection; DREV **52**, 343

Trithorax; Maintenance of expression; *Drosophila* development; *Engrailed* **52**, 89

Trithorax; Nuclear receptor DNA binding motif; Homeotic genes; Maintenance of expression; Ancient conserved motif **52**, 209

Trophoblast giant cells; Serine/threonine protein kinase; LIM domain; CNS development **52**, 187

Tyrosine hydroxylase; Sympathetic neuron; Phox-2; Cash-1; Development; Chick **52**, 125

VAI expression vector; Antisense inhibition; *Xhox1A* gene; *Hox-2.6 (4B)*; Muscle differentiation **52**, 37

Ventricular septal defect; α-Myosin heavy chain; Ectopic expression; Homeobox gene; Kidney defect; Transgenic mouse **52**, 291

WD motif; *Esc*; Repressor; Homeotic **52**, 77

WD motif; *Extra sex combs*; Homeotic genes; Repressor; *Polycomb* group; *Drosophila virilis* **52**, 225

Wnt; Central nervous system development; Engrailed, Gene regulation; Pattern formation; Pax **52**, 3

Wnt; Chick embryo; Nervous system development **52**, 9

Wnt4; Wnt5A; Morphogenesis; Cyclopia; Zebrafish **52**, 153

Wnt5A; Wnt4; Morphogenesis; Cyclopia; Zebrafish **52**, 153

Xenopus laevis; Bone morphogenetic protein 2; Mesoderm induction **52**, 357

Xenopus laevis; Development; Embryogenesis; Promoter-analysis; Transgenic *Xenopus*; Maternal factors **52**, 305

Xenopus; Mesoderm; Differentiation; Mox; Induction **52**, 27

Xenopus; NF-κB; Dorsal; Axis formation **52**, 165

***Xhox1A* gene**; Antisense inhibition; *Hox-2.6 (4B)*; Muscle differentiation; VAI expression vector **52**, 37

Zebrafish; Gastrulation; G12 Expression; Differential RNA display **52**, 383

Zebrafish; Wnt4; Wnt5A; Morphogenesis; Cyclopia **52**, 153